Table 4B

2010 Pediatric Nutrition Surveillance (1)

New Hampshire

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

		Com	parison of Ra	acial and Eth	nic Distributi	on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Belknap	864	91.9	1.4	1.4	1.7	1.6	2.0	0.0
Carroll	747	92.6	0.3	2.8	2.7	0.4	1.2	0.0
Cheshire	1,273	91.5	0.9	3.3	0.2	0.8	3.3	0.0
Coos	596	94.5	1.3	2.0	0.2	0.7	1.3	0.0
Grafton	1,414	93.2	0.9	2.4	0.9	0.9	1.6	0.0
Hillsborou	6,402	62.4	7.5	24.8	0.7	2.4	2.3	0.0
Merrimack	2,230	87.5	4.6	2.7	1.5	2.3	1.4	0.0
Rockingham	2,548	84.2	1.6	9.1	1.0	1.8	2.3	0.0
Strafford	2,150	83.3	2.0	5.3	0.3	4.3	4.7	0.0
Sullivan	877	93.5	0.5	3.1	0.3	0.6	2.1	0.0
Unknown Counties	1	*	*	*	*	*	*	*
New Hampshire	19,102	79.8	3.7	11.2	0.9	2.0	2.4	0.0
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0



Page:

Run Date: 3 / 25 / 11

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

2010 Pediatric Nutrition Surveillance (1) New Hampshire

Comparison of Age Distribution by County Children Aged < 5 Years (2)

Comparison of Age Distribution County Number 0 - 11 Months 12 - 23 Months 24 - 59 Months Included in Analysis % % % (3,4)Belknap 864 32.3 19.4 48.3 Carroll 747 23.3 30.1 46.6 Cheshire 1,273 23.6 30.3 46.1 Coos 596 31.5 21.1 47.3 Grafton 30.2 21.0 1,414 48.8 Hillsborou 6,402 32.9 21.1 46.0 Merrimack 2,230 32.6 20.0 47.4 Rockingham 21.4 2,548 33.5 45.1 Strafford 2,150 30.4 23.2 46.4 Sullivan 877 31.8 21.6 46.6 **Unknown Counties** 1 **New Hampshire** 19,102 32.1 21.5 46.5 Nation 8,938,527 22.6 42.9 34.5 (Prior Year)



Page:

Run Date: 3 / 25 / 11

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.(4) Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6B 2010 Pediatric Nutrition Surveillance New Hampshire (1)

Page: 3 Run Date: 3 / 25 / 11

		(Comparis	on of G	rowth ar	nd Aneı	nia Indi	cators		(3,4)		
		Birthweight	(5)				٨٠	nemia				
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Belknap	168	9.5 (5)	8.9 (4)	820	7.6 (10)	1.7 (1)	13.9 (8)	408	22.8 (10)	16.9 (9)	516	6.8 (2)
Carroll	26	* *	* *	728	5.9 (6)	3.0 (8)	8.0 (1)	342	17.0 (6)	10.2 (1)	382	6.5 (1)
Cheshire	71	* *	* *	1,231	4.9 (2)	2.4 (4)	12.3 (4)	580	15.9 (3)	11.9 (2)	701	21.3 (9)
Coos	127	7.9 (4)	6.3 (1)	575	4.7 (1)	7.3 (10)	12.0 (3)	281	10.0 (1)	12.8 (5)	367	16.3 (7)
Grafton	116	6.0 (2)	11.2 (6)	1,378	6.7 (8)	1.8 (2)	15.3 (10)	663	20.1 (9)	17.2 (10)	896	10.5 (6)
Hillsborou	840	9.6 (6)	8.8 (3)	6,150	5.4 (5)	3.1 (9)	13.7 (7)	2,838	16.8 (4)	15.2 (8)	2,963	21.4 (10)
Merrimack	377	7.2 (3)	12.5 (7)	2,165	6.2 (7)	2.3 (3)	14.1 (9)	1,034	16.9 (5)	14.7 (7)	1,336	7.3 (3)
Rockingham	429	5.8 (1)	10.0 (5)	2,411	6.8 (9)	2.5 (6)	12.9 (6)	1,118	19.2 (8)	12.6 (3)	1,527	9.1 (5)
Strafford	503	10.3 (7)	7.6 (2)	2,101	5.1 (4)	2.9 (7)	11.1 (2)	965	14.2 (2)	12.6 (3)	1,352	7.6 (4)
Sullivan	75	* *	* *	843	5.0 (3)	2.4 (4)	12.8 (5)	391	17.4 (7)	14.6 (6)	474	21.1 (8)
Unknown Counties	0	* *	* *	1	* *	* *	* *	1	* *	* *	1	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B 2010 Pediatric Nutrition Surveillance New Hampshire (1)

Page: 4 Run Date: 3 / 25 / 11

			Comparis	son of Gr	owth ar	nd Ane	mia Indi	cators		(3,4)			
		Birthweigh	t (5)		Height and Weight								
		Low	High		Short Stature (6)	Under weigh (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)	
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% _>95th (Rank)	Number	% (Rank)	
New Hampshire	2,732	8.7	9.2	18,403	5.8	2.8	13.1	8,621	17.1	14.2	10,515	13.7	
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,35	5 16.4	14.7	5,524,196	3 14.9	



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7B 2010 Pediatric Nutrition Surveillance (1)

New Hampshire

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

3 / 25 / 11

(2)

		Comp	arison	of Breas	stfeedi	ng, TV V	iewing	g, and	Sm	oking i	n Housel	hold (4,	5)		
		Breastfeeding (6)							sive B	reastfeedi (7)	ng	≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Numbe	r % Breas At Lea 3 Mont (Ran	etfed est ths	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Belknap	205	73.7 (5)	72	* *	121	17.4 (2)	40	*	*	67	* *	425	90.6 (1)	821	11.8 (6)
Carroll	170	78.2 (2)	65	* *	109	9.2 (9)	36	*	*	63	* *	373	87.4 (7)	741	2.7 (1)
Cheshire	301	74.8 (4)	129	27.1 (1)	191	16.8 (3)	69	*	*	124	11.3 (2)	623	89.2 (4)	1,256	21.2 (7)
Coos	137	54.0 (10)	59	* *	71	* *	26	*	*	56	* *	307	82.1 (9)	590	23.4 (9)
Grafton	304	77.3 (3)	141	24.1 (4)	196	14.8 (5)	67	*	*	130	6.9 (5)	720	88.8 (6)	1,400	6.3 (2)
Hillsborou	1,540	66.6 (9)	599	20.9 (5)	875	13.7 (6)	353	18.4	(4)	597	10.7 (3)	3,043	83.3 (8)	6,279	24.4 (10)
Merrimack	499	78.6 (1)	232	26.7 (2)	284	18.0 (1)	147	23.1	(3)	220	7.3 (4)	1,118	88.9 (5)	2,216	11.1 (5)
Rockingham	590	70.7 (7)	261	18.4 (6)	345	12.8 (7)	158	24.7	(2)	257	13.2 (1)	1,198	90.4 (3)	2,488	8.8 (3)
Strafford	518	73.6 (6)	203	24.6 (3)	368	14.9 (4)	110	27.3	(1)	192	6.3 (6)	1,038	80.0 (10)	2,117	11.0 (4)
Sullivan	223	70.4 (8)	67	* *	125	10.4 (8)	36	*	*	64	* *	427	90.6 (1)	870	22.5 (8)
Unknown Counties	0	* *	0	* *	0	* *	0	*	*	0	* *	1	* *	1	* *
New Hampshire	4,487	71.1	1,828	22.7	2,685	14.2	1,042	21.8	3	1,770	9.5	9,273	86.2	18,779	16.2

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B 2010 Pediatric Nutrition Surveillance (1)

New Hampshire

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: 3 / 25 / 11 Run Date:

(2)

	Comp	parison of Breas	stfeeding, TV V	iewing, and Sm	oking in Housel	nold _(4,5)	
		Breastfeeding (6)		Exclusive B	reastfeeding (7)	<2 Hours TV Viewing/Day (8)	Smoking in Household
County	Number % Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)	Number % (Rank)
Nation (Prior Year)	1,769,160 61.7	911,779 27.0	1,092,573 18.5	317,037 9.9	420,655 5.3	1,022,933 77.3	4,355,723 10.2



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B 2008 - 2010 Pediatric Nutrition Surveillance New Hampshire (1)

Run Date: 3 / 25 / 11

Page:

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)				۸۳	emia				
		Low	High		Short Stature (6)	Under- Obese weight (7) (7)			≥ 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Belknap	479	6.5 (1)	9.8 (5)	2,394	6.9 (8)	2.2 (2)	16.2 (10)	1,161	21.0 (10)	17.8 (10)	1,508	8.1 (4)
Carroll	317	12.6 (10)	11.7 (10)	2,205	7.1 (10)	2.8 (9)	11.9 (4)	1,047	17.9 (5)	15.0 (5)	1,083	7.3 (2)
Cheshire	661	8.0 (6)	11.5 (9)	3,830	4.9 (1)	2.6 (6)	11.7 (3)	1,795	17.8 (4)	12.4 (2)	2,229	20.8 (9)
Coos	382	8.6 (7)	7.6 (1)	1,771	4.9 (1)	7.7 (10)	10.8 (1)	817	11.0 (1)	10.0 (1)	1,153	12.1 (7)
Grafton	498	7.4 (4)	9.8 (5)	4,060	5.9 (5)	2.5 (4)	14.2 (8)	1,942	18.2 (7)	15.4 (7)	2,550	11.3 (6)
Hillsborou	3,812	7.7 (5)	9.8 (5)	19,119	5.9 (5)	2.7 (8)	14.0 (6)	8,636	17.2 (3)	15.1 (6)	9,795	19.6 (8)
Merrimack	1,369	6.8 (2)	11.2 (8)	6,687	6.5 (7)	1.9 (1)	15.2 (9)	3,005	19.2 (8)	15.7 (8)	4,039	7.7 (3)
Rockingham	1,592	6.9 (3)	8.9 (3)	7,080	6.9 (8)	2.5 (4)	14.1 (7)	3,282	18.1 (6)	14.1 (4)	4,621	11.2 (5)
Strafford	1,558	9.4 (9)	8.0 (2)	6,261	5.7 (4)	2.6 (6)	11.2 (2)	2,795	15.5 (2)	13.2 (3)	4,124	4.7 (1)
Sullivan	466	9.2 (8)	9.2 (4)	2,573	5.4 (3)	2.2 (2)	13.4 (5)	1,185	19.2 (8)	16.1 (9)	1,511	21.0 (10)
Unknown Counties	0	* *	* *	2	* *	* *	* *	1	* *	* *	2	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B 2008 - 2010 Pediatric Nutrition Surveillance New Hampshire

Page: 8 Run Date: 3 / 25 / 11

			Comparis	son of G	rowth ar	nd Aner	nia Indi	cators		(3,4)			
		Birthweigh	t (5)		Height and Weight								
		Low	High		Short Stature (6)	Under- weight (7)		≥ 2 Yrs Over- weight (7)			Low	eemia Hb/Hct (8)	
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% n <u>></u> 95th (Rank)	Number	% (Rank)	
New Hampshire	11,134	7.9	9.6	55,982	6.0	2.7	13.6	25,666	17.6	14.7	32,615	13.4	



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7B 2008 - 2010 Pediatric Nutrition Surveillance (1)

New Hampshire

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

3 / 25 / 11

(2)

		Breastfeeding (6)							Exclusive Breastfeeding (7)				Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Numbe	r % Breastfed At Least 3 Months (Rank)	Number	Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Belknap	650	73.8 (3)	437	22.0 (8)	437	13.3 (7)	395	18.0 (8)	423	6.1 (8)	1,223	89.0 (3)	1,343	30.2 (7)
Carroll	625	80.2 (1)	389	31.4 (1)	403	13.9 (5)	360	26.1 (1)	377	16.7 (1)	1,049	88.6 (4)	1,272	11.9 (1)
Cheshire	1,107	73.6 (5)	713	26.1 (3)	705	12.8 (8)	644	21.3 (3)	697	9.9 (3)	1,931	90.0 (2)	2,276	39.8 (9)
Coos	459	63.2 (10)	316	18.0 (10)	323	10.5 (10)	289	18.3 (7)	313	6.7 (5)	895	83.1 (9)	1,032	29.0 (6)
Grafton	1,088	73.7 (4)	745	25.2 (5)	744	13.7 (6)	661	20.0 (4)	723	6.4 (6)	2,099	86.4 (7)	2,390	23.0 (4)
Hillsborou	5,497	63.7 (9)	3,540	22.1 (7)	3,480	15.2 (3)	3,262	13.9 (10)	3,507	7.6 (4)	9,293	85.8 (8)	11,348	32.6 (8)
Merrimack	1,878	76.2 (2)	1,262	28.1 (2)	1,199	17.9 (2)	1,143	19.1 (6)	1,215	6.4 (6)	3,274	87.8 (6)	3,954	28.8 (5)
Rockingham	2,217	67.6 (8)	1,440	25.4 (4)	1,357	18.1 (1)	1,356	24.1 (2)	1,429	14.8 (2)	3,529	88.4 (5)	4,446	15.2 (3)
Strafford	1,810	71.2 (6)	1,138	23.2 (6)	1,207	14.2 (4)	1,013	16.6 (9)	1,097	5.2 (10)	2,995	80.7 (10)	3,639	14.3 (2)
Sullivan	723	69.6 (7)	449	21.6 (9)	499	10.6 (9)	415	20.0 (4)	441	5.4 (9)	1,290	90.1 (1)	1,542	40.3 (10)
New Hampshire	16,054	69.2	10,429	24.1	10,354	15.0	9,538	18.2	10,222	8.5	27,579	86.5	33,242	27.0

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

